

Product Highlights

Cost-Effective Solution

An efficient, low power consumption switch, with ample transmission quality for data transfers and smooth media streaming, all at a competitive price

Flow Control

Supports 802.3 flow control to enhance network efficiency and reduce congestion

Compact Design

The solid, compact, metal case is designed for durability. No configuration is required, making it easy for SOHO/Home users to expand their wired networks.



DGS-105GL

5 Port Gigabit Desktop Switch

Features

High-Speed Connectivity

- DGS-105GL - Five Gigabit Ethernet LAN ports for high-speed wired connections
- Plug-and-play installation

Energy Efficient and Eco-Friendly

- Reduces power to a port when no link to that port is detected
- Energy efficient design reduces heat generated and allows the switch to run silently
- Supports IEEE 802.3az Energy-Efficient Ethernet (EEE)

D-Link DGS-105GL 5 Port Gigabit (10/100/1000Mbps) Desktop Switch is economical, plug-and-play networking switch solutions for SOHO and small to medium businesses. They provide the choice of five or eight gigabit ports, enabling you to easily expand your network and quickly upgrade your connectivity.

Plug-and-Play Installation


DGS-105GL 5 port Gigabit switch are plug-and-play devices that require no configuration. You can easily connect multiple computers, share files, music, and video across your home or small office network. 802.3 flow control automatically and efficiently manages the data transmission process without packet loss, providing a more reliable connection for all of your connected devices.

Auto MDI/MDIX CrossOver

All ports support automatic MDI/MDIX crossover, eliminating the need for crossover cables or uplink ports. Each port can be plugged directly into a server, hub, router, or switch using regular straight-through twisted-pair Ethernet cables, streamlining installation.

Conserve Energy

DGS-105GL implement a power saving function that can detect when a connected computer is shut down or when there is no Ethernet traffic. The 5 Port Gigabit Desktop Switch will automatically put inactive ports in standby mode, saving a substantial amount of power, and power them back on later when needed.



Technical Specifications	
General	DGS-105GL
Device Interfaces	• 5 x 10/100/1000 Mbps LAN ports
Standards	• IEEE 802.3 10BASE-T • IEEE 802.3u 100BASE-TX • IEEE 802.3ab 1000BASE-T • IEEE 802.3x Flow Control • IEEE 802.3az Energy-Efficient (EEE)
Functionality	
Switching Capacity	• 10 Gbps switching fabric
Transmission Method	• Store-and-forward
MAC Address Table Size	• 2K
Packet Filtering/Forwarding Rates	• Ethernet: 14,880 pps per port • Fast Ethernet: 148,800 pps per port • Gigabit Ethernet: 1,488,000 pps per port
MAC Address Learning	• Self-learning, auto-aging

DGS-105GL 5 Port Gigabit Desktop Switch

Physical	
LED Indicators	<ul style="list-style-type: none">• Network Link/Activity• Power
Dimensions	<ul style="list-style-type: none">• 87 x 54 x 23 mm
Power	<ul style="list-style-type: none">• DC 5 V / 1 A
Power Consumption	<ul style="list-style-type: none">• Maximum: 5 watts
Temperature	<ul style="list-style-type: none">• Operating: -10 to 50 °C• Storage: -10 to 70 °C
Humidity	<ul style="list-style-type: none">• Operating: 10% to 90% non-condensing• Storage: 5% to 95% non-condensing
MTBF	<ul style="list-style-type: none">• 785,576 hours
Maximum Heat Dissipation	<ul style="list-style-type: none">• 7.01 BTU/h
Certifications	<ul style="list-style-type: none">• CE
Order Information	
Part Number	Description
DGS-105GL	5-Port Gigabit Metal Unmanaged Switch

Updated 2024/07/2